




TECElux Mini – 230 V/12 V




A Uni/Base 9 300 xxx
9 370 xxx
9 400 xxx
...








B Octa II 9 300 5xx
9 370 5xx
...




Base 8 9 400 55x
9 370 55x
...



C Base 320 Compact 320 9 300 6xx
9 400 4xx
...



TECElux Mini – 230 V/12 V



A/B

new easy fit ✓

new easy fit ✓

► Seite/page 2–5

+ 9820692










3

3 A **A = Uni / Octa**










4 A





3 B **B = Base / 320**

4 B




TECElux Mini – 230 V/12 V







TECElux Mini – 230 V/12 V



- (DE) Optional programmierbar mit Fernbedienung
- (GB) Optionally programmable with remote control
- (FR) Programmable optionnellement avec la télécommande
- (IT) Opzione per programmazione con telecomando
- (ES) Opcionalmente programable con control remoto
- (PL) Opcjonalnie możliwość programowania pilotem
- (RU) ОПЦИОНАЛЬНО ПРОГРАММИРУЕТСЯ С ПУЛЬТОМ УПРАВЛЕНИЯ



100 V – 240 V (AC)
50 – 60 HZ
1,67 A
12 V DC



www.tece.de/entsorgung.info

TECE GmbH
Hollefeldstrasse 57
D - 48282 Emsdetten
0049 (0)2572 9280
info@tece.de
www.tece.de

SP430 213 00 d