

Application areas

Ideal in conjunction with pressureless water heaters

- > Washbasin
- > Disposal sink
- > Kitchen, Kitchenette
- > Shower





for pressureless water heaters





	÷	\$		\$	\$		💛	\$
	AEB	AEN	CSO	END	EWT	SMB	SME	SNM
Part number [1100]:	04250	04255	04165	04410	04420	04100	04150	04200
Part number [0300]:								
Part number [4100]:								
Pressureless type:	~	~	~	~	✓	~	~	✓
Pull-up drain:				~	✓			
Swivel spout:			✓			✓	✓	~
Aerator set ¹⁾ included	integrated	integrated	integrated	~	✓	~	~	~
For E-mini instant water heater:	~	~		~	✓	~	~	~
For E-compact instant water heater:			~					~
Suitable for storage water heaters:				~				~
Water connection (screw connectors):	3/8"	3/8"	1/2"	3/8"	3/8"	3/8"	3/8"	3/8"
Outreach [cm]:	11,0	11,0	16,0	10,6	11,2	16,0	16,0	16,0
Dimension (height) [cm]:	13,3	13,3	-	11,1	15,1	-	-	22,5


¹⁾ The set includes various aerator models and a manual. Which aerator is screwed into the tap depends on the used hot water appliance.


	$\stackrel{\mathtt{v}}{\bigtriangledown}$	\$	ϔ		[<u>-</u>]		🚖	🖮	
	SNO	SNT	SSO	EAK	E	KA	EKM	СХН	SME-S	
Part number [1100]:				04430	C	04230	04220		04152	
Part number [0300]:				T				0086		
Part number [4100]:	0110	02100	01250							
Pressureless type:	~	~	~	~	~	/	✓	~	~	
Pull-up drain:										
Swivel spout:	~	✓	~	~	~	/	✓			
Aerator set ¹⁾ included	~	✓	integrated	 ✓	~	/	✓			
For E-mini instant water heater:				 ~	~	/	~	~	~	
For E-compact instant water heater:				~	~	/	~	~		
Suitable for storage water heaters:	~	✓	~		~	/	✓			
Water connection (screw connectors):	1/2"	3/8"	1/2"	3/8"	3/	/ ₈ "	3/8"	1/2"	3/8"	
Outreach [cm]:	16,0	15,5	16,0	20,0	2	20,0	21,0			
Dimension (height) [cm]:	_	23,5	-	29,6	1	L5,0	17,1	-	-	

¹⁾ The set includes various aerator models and a manual. Which aerator is screwed into the tap depends on the used hot water appliance.

for pressureless water heaters








for pressureless water heaters





for pressureless water heaters




Installation

Installation with wall-mounted mixer tap CSO Dimensions in mm 177 to supply a disposal sink. You need about 30 cm free space to the disposal sink from the lower edge swivel spout for a 10 litre bucket. Assembly and operating instructions must be observed upon installation. 1 45 × Depth 108 100 300 Ø 16 G ¾" 160 70


for pressureless water heaters






for pressureless water heaters






for pressureless water heaters





for pressureless water heaters






for pressureless water heaters



Installation








Optimised and isolated water lines, 80 % less standing water volume in the tap body compared to conventional single-lever mixer taps.


Perfect hand-wash temperature in the middle



The optimal lever position for energy-efficient warm water is in the middle and allows an intuitive correct operation (ideal using temperatures 35 °C, 38 °C or maximum 45 °C).


for pressureless water heaters






for pressureless water heaters






for pressureless water heaters






for pressureless water heaters






for pressureless water heaters





for pressureless water heaters









Sensor tap AEB

Electronically controlled sensor tap for the washing basin including an activatable hygienic rinse (6V battery operation). Mixing device for continuous temperature regulation. Ideal for E-mini instant water heater.

AEB: Part no. 1100-04250



Sensor tap AEN

Electronically controlled sensor tap for the washing basin including an activatable hygienic rinse (230 V power supply unit). Mixing device for continuous temperature regulation. Ideal for E-mini instant water heater. (230 V-Netzteil).

AEN: Part no. 1100-04255



Adjustable hand shower CXH

Hand shower for instant water heater, three modes adjustable, anti-scale insert, chrome.

Dimensions: 24.2 cm length, shower head \varnothing 9.8 cm

CXH: Part no. 0300-0086



Shower mixing tap SME-S

Shower mixer tap for installation at a $\mbox{\ensuremath{\upsigma}\xspace}$ -inch wall connection.

SME-S: Part no. 1100-04152





cso

Single-lever wall-mounted mixer tap for installation at a $\mbox{\ensuremath{\%}}\mbox{-inch}$ wall connection with swivel spout 16 cm

CSO: Part no. 1100-04165



EAK

Single-lever mixer tap with side lever and swivel spout 20 cm

EAK: Part no. 1100-04430



END

Singel-lever mixer tap with Easy-Fix mounting system and pull-up drain stopper, spout 10.5 cm, height × width: 11.1 × 15.2 cm

END: Part no. 1100-04410



EKA

Single-lever mixer tap with pull-out rinse sprayer and flexible connecting hoses, spout 20 \mbox{cm}

EKA: Part no. 1100-04230





EKM

Single-lever mixer tap with side lever and swivel spout 21cm

EKM: Part no. 1100-04220



EWT

Single lever mixing tap for pressureless installation with nickel- and lead-free water lines, Easy Fix mounting system and pull-up drain stopper, spout 11.2 cm, height \times width: 15.1 \times 17.5 cm

EWT: Part no. 1100-04420



SME

Single-lever wall-mounted mixer tap with swivel spout 16 cm for installation at a %-inch wall connection. Ideal for E-mini instant water heater M-O, not suitable for storage water heaters.

SME: Part no. 1100-04150



SMB

Two-handle wall-mounted mixer tap with swivel spout 16 cm for installation at a %-inch wall connection. Ideal for E-mini instant water heater M-O, not suitable for storage water heaters.

SMB: Part no. 1100-04100





SNM

Two-handle washbasin mixer tap with swivel spout 16 cm, height × width: 22.5×16.0 cm

SNM: Part no. 1100-04200



SNO

Wall-mounted mixer tap with combination valve and swivel spout 16 cm

SNO: Part no. 4100-0110



SNT

Two-handle temperature control mixer tap for open-outlet installation, temperature selection on the left, water volume adjustment on the right, with swivel spout 15.5 cm

SNT: Part no. 4100-0210



SSO

Single-lever wall-mounted mixer tap for installation at a $\mbox{$\frac{1}{2}$-inch wall connection with swivel spout 16 cm}$

SSO: Part no. 4100-01250