



Wasser erleben


HANSA DESIGNO STYLE

INSTALLATION AND MAINTENANCE GUIDE



Contents

CZ Obsah	FR Sommaire	NO Innhold	SI Vsebina
DE Inhaltsübersicht	GR Περιεχόμενα	PL Spis treści	SK Obsah
DK Indholdsfortegnelse	HU Tartalom	PT Conteúdo	
ES Contenidos	IT Indice	RU Содержание	
FI Sisällysluettelo	NL Inhoud	SE Innehållsförteckning	



Technical data.....	4
Installation	5-8
Operation.....	9
Maintenance.....	9
Spare parts.....	10

5105 2183

EN 200


I (ISO 3822)

50 - 1000 kPa

0.1 l/s (300 kPa) (with flow controller)

100 kPa (0.1 l/s)

max. +80°C



Installation

CZ Montáž

DE Montage

DK Installation

ES Montaje

FI Asennus

FR Installation

GR Συναρμολόγηση

HU Szerelés

IT Montaggio

NL Installatie

NO Montering

PL Instalacja






PT Instruções

RU Установка

SE Installation

SI Montaža

SK Inštalácia



1



Installation

CZ Montáž

DE Montage

DK Installation

ES Montaje

FI Asennus

FR Installation

GR Συναρμολόγηση

HU Szerelés

IT Montaggio

NL Installatie

NO Montering

PL Instalacja



PT Instruções

RU Установка

SE Installation

SI Montaža


SK Inštalácia



③

④

②



Installation

CZ Montáž

DE Montage

DK Installation

ES Montaje

FI Asennus

FR Installation

GR Συναρμολόγηση

HU Szerelés

IT Montaggio

NL Installatie

NO Montering

PL Instalacja

PT Instruções

RU Установка

SE Installation

SI Montaža

SK Inštalácia




③



④

③




Installation

CZ Montáž
DE Montage
DK Installation
ES Montaje
FI Asennus

FR Installation
GR Συναρμολόγηση
HU Szerelés
IT Montaggio
NL Installatie




NO Montering
PL Instalacja
PT Instruções
RU Установка
SE Installation

SI Montaža
SK Inštalácia



②

④




Operation

CZ Funkce
DE Funktion
DK Betjening
ES Servicio
FI Toiminta

FR Utilisation
GR Λειτουργία
HU Üzemeltetés
IT Funzionamento
NL Bediening

NO Funksjon
PL Działanie
PT Funcionamento
RU Принцип действия
SE Funktion

SI Delovanje
SK Prevádzka




Cleaning the faucet

CZ Čištění baterie
DE Reinigung der Armatur
DK Rengøring af armaturet
ES Limpieza de la grifería
FI Puhdistus
FR Nettoyage du robinet

GR Καθαρισμός του βρύση
HU Takarítás a csapot
IT Pulizia della rubinetteria
NL Reinigen van de kraan
NO Rengjøring av kranen
PL Czystczenie baterii

PT Limpeza da torneira
RU Чистка смесителя
SE Rengöring av blandarna
SI Čiščenje armature
SK Čistenie vodovodnej batérie




Spare parts

CZ Náhradní díly	FI Varaosat	NL Reserve-onderdelen	RU Запасные части
DE Ersatzteile	FR Pièces détachées	NO Reservdeler	SE Reservdelar
DK Reservedele	HU Alkatrészek	PL Części zamienne	SI Rezervni deli
ES Piezas de recambio	IT Pezzi di ricambio	PT Peças de reposição	SK Náhradné diely

5105 2183

- 1 59 914 404
- 2 59 914 405
- 3 59 913 366
- 4 59 913 371
- 5 59 914 407
- 6 59 913 459
- 7 59 914 561
- 8 59 914 562
- 9 59 914 563
- 10 59 913 224
- 11 59 910 235
- 12 59 914 403
- 13 59 913 457



Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands, Oras and Hansa.

The head office of the Group is located in Rauma, Finland, and the Group has four manufacturing sites: Burglengenfeld (Germany), Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1400 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.

HANSA Armaturen GmbH
P. O. BOX 81 02 40
D-70519 Stuttgart

Sigmaringer Strasse 107
D-70567 Stuttgart
Tel.: +49 711 16 14 0
Fax: +49 711 16 14 368
info@hansa.de

www.hansa.com



a member of  orasgroup